Page 1 of 7

Safety data sheet according to GHS Rev 03

Revised on / Version: 08/20/2020

Replaces revision of / Version: 04/12/2019

Valid from: 08/20/2020 DURATHERM XLT-120



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form: Mixture

Trade name:

Product code:

Recommended application:

Duratherm XLT-120

Duratherm XLT-120

Heat Transfer Fluid

Details of the supplier of the safety data sheet

Duratherm

P.O Box 563, Lewiston, NY, 14092 Telephone: 1-905-984-6677

Qualified person's e-mail address: info@durathermfluids.com

Emergency telephone number:

Tel.: CHEMTREC (Inside USA) 800-424-9300 (Outside USA) +1-703-527-3887

SECTION 2: Hazards identification

Classification of the substance or mixture

Flam Liq 3 - H226, Asp. Haz 1 - H304, Skin Irrit 2 - H315, Skin Sens 1 - H317, Aqu. Chron. 1: H410

Label elements

GHS label element: This product is classified and labeled according to the Global Harmonized System

Hazard pictograms: GHS02, GHS09, GHS07, GHS08

Signal word: Danger









Product Identifiers

Terpene - CAS# 5989-27-5

Hazard statements

H226 Flammable liquid and vapor

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H410 Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210 Keep away from heat, sparks, open flames, and hot surfaces. No smoking

P273 Avoid release to the environment

P280 Wear protective gloves

P301/310/331 IF SWALLOWED. Immediately call a POISON CONTROL CENTRE. Do not induce vomiting

P302/P352 IF ON SKIN: Wash with plenty of water P332/P313 If eye irritation persists seek medical attention

P501 Dispose of contents and their containers in accordance with regional, national and international

regulations

Classification system

NFPA Rating: Health: 1, Fire:2, Reactivity:0 HMIS Rating: Health: 1, Fire: 2, Reactivity:0

Page 2 of 7

Safety data sheet according to GHS Rev 03 Revised on / Version: 08/20/2020

Revised on / Version: 08/20/2020 Replaces revision of / Version: 04/12/2019

Valid from: 08/20/2020 DURATHERM XLT-120



Other hazards

Other Hazards: None known

SECTION 3: Composition/information on ingredients

3.1 Substance

Not applicable

3.2 Mixture

Chemical Characterization: Mixture

Classification according to GHS: GHS02, GHS07, GHS08, GHS09

Dangerous Components: Terpene

Component Name	Identification	Classification according to GHS	%
Terpene	CAS #: 5989-27-5	GHS02, GHS07, GHS08, GHS09	90-95%
		Flam Liq 3 – H226 Asp. Haz 1 – H304 Skin Irrit 2 – H315 Skin Sens 1 – H317 Aqu. Chron. 1: H410	
Proprietary Additives	Trade Secret	Not classified	5-10%

SECTION 4: First aid measures

Description of first aid measures

Inhalation: Supply person with fresh air and consult doctor according to symptoms.

Skin contact: Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and

soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact Remove contact lenses. Wash thoroughly for several minutes using copious water. Seek

medical help if necessary.

Ingestion Rinse the mouth thoroughly with water. Do not induce vomiting. Consult doctor

immediately.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

Suitable extinguishing media: Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media: High volume water jet

Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon, toxic gases

Advice for firefighters

In case of fire and/or explosion do not breathe fume use protective respirator with independent air supply. According to size of fire use full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions protective equipment: Not required

Page 3 of 7

Safety data sheet according to GHS Rev 03 Revised on / Version: 08/20/2020

Replaces revision of / Version: 04/12/2019

Valid from: 08/20/2020 DURATHERM XLT-120



Environmental precautions: If leakage occurs, dam spillage and resolve leaks as soon as possible.

Prevent fluid from entering drainage systems. If fluid accidently enters

drainage system alert authorities

Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, oil-dry, sand, diatomaceous earth) and dispose in accordance with local regulations

Reference to other sections

See section 7 for information on safe handling, see Section 8 for information on personal protection equipment, see Section 13 for disposal information

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

Precautions for safe handling:

Information about protection against explosions or fires:

Requirements to be met by storerooms:

No special measures required
No special measures required
Store in a cool dry place

General guidelines: Ensure good ventilation; avoid contact with eyes or skin

Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable

Wash hands before breaks and at end of work Keep away from food, drink and animal feed

Remove contaminated clothing and protective equipment before entering areas in which food is consumed

SECTION 8: Exposure controls/personal protection

Control parameters

No further data: see Section 7

Exposure controls:

Appropriate engineering controls: Contain with oil absorbing material (oil dry). Remove oil absorbing

material and dispose lawfully

Personal protective equipment:

Hand protection: PVC, neoprene, or nitrite gloves. Gloves should be replaced

immediately if damaged or worn

Eye protection: Eye protection necessary where liquid could be splashed or sprayed

Materials for protective clothing: PVC, neoprene, or nitrite gloves

Hand protection: In case of repeated or prolonged contact wear gloves and use

moisturizing skin cream

Respiratory protection: Normally not required in areas with adequate ventilation. In areas with

poor ventilation or in the case of likely misting use appropriate

respiratory equipment

Environmental exposure controls: See section 12

Consumer exposure controls: PVC gloves. Neoprene or nitrile rubber gloves

Other: Wash hands thoroughly after exposure. Do not eat drink or smoke

during use. Wash contaminated clothing before use

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Light yellow, clear
Odor: Characteristic
Odor threshold: Not determined
pH-value: Not determined
Melting point/freezing point: Not determined

Page 4 of 7

Safety data sheet according to GHS Rev 03 Revised on / Version: 08/20/2020

Replaces revision of / Version: 04/12/2019

Valid from: 08/20/2020 DURATHERM XLT-120



Initial boiling point and boiling range: Not determined Flash Point ASTM D92 (COC): $>105^{\circ}F (>40^{\circ}C)$

Evaporation Rate: NA Flammability (solid, gas) NA

Lower explosive limit:

Upper explosive limit:

Density @ 20°C:

Not determined
0.85-0.87 g/ml

Bulk density: NA

Solubility(ies):
Water solubility:

Not determined
Insoluble

Partition coefficient (n-octanol/water)

Auto-ignition temperature:

Not determined

Not determined

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Not determined

Not determined

0.9 cSt @ 40°C

Explosive properties NA

Oxidizing properties: Not determined

Other information

Miscibility:

Fat solubility / solvent:

Conductivity:

Surface tension:

Solvents content:

Not determined
Not determined
Not determined
Not applicable

SECTION 10: Stability and reactivity

Reactivity: Stable under normal conditions
Chemical Stability: Stable under normal conditions
Possibility of hazardous reactions: No dangerous reactions known

Conditions to avoid: See section 7

Incompatible materials: Strong oxidizing agents, acids

Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

Possibly more information on health effects, see Section 2 (classification).

Acute toxicity: Not Classified

DURATHERM XLT-120					
Toxicity/effect	Endpoint	Value	Unit	Organism	Notes
Acute toxicity, by oral route:	LD50	>3000	mg/kg	Rat	

Skin corrosion/irritation: Not classified – Unlikely to cause harm to harm to skin with brief contact, long

term contact may cause dermatitis

Serious eye damage/irritation:
Respiratory or skin sensitization:
Repeated does toxicity:
Not classified
Rem cell mutagenicity:
Not classified
Carcinogenicity:
Reproductive toxicity:
Not classified
Not classified
Not classified

Other information: No further information available

SECTION 12: Ecological information

DURATHERM XLT-120					
Toxicity/effect	Endpoint	Value	Unit	Organism	Notes

Page 5 of 7

Safety data sheet according to GHS Rev 03 Revised on / Version: 08/20/2020

Replaces revision of / Version: 04/12/2019

Valid from: 08/20/2020 **DURATHERM XLT-120**



Toxicity to fish:	LC50	>0.1 -1	mg/L	Trout	
Toxicity to daphnia:					n.d.a.
Toxicity to algae:					n.d.a.
Persistence and					n.d.a.
degradability:					
Bio-accumulative potential:					n.d.a.
Mobility in soil:					n.d.a.
Results of PBT and					n.d.a.
vPvB assessment:					
Other adverse effects:					n.d.a.

SECTION 13: Disposal considerations

Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of

For contaminated packing material

Pay attention to local and national official regulations

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Do not perforate, cut up or weld un-cleaned container.

SECTION 14: Transport information

Transport statements

UN number

US DOT/ADR/RID/AND(R)/IATA/ICAO: UN2319 (primary), UN1169 (alternate), UN1993, UN3082

UN proper shipping name:

DOT, ADR, ADN, IMDG, IATA: UN2319 (primary), UN1169 (alternate), UN1993, UN3082

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA: Class 3 Combustible Liquid, Class 9 Environmental Hazard Label/Placard

US DOT only: Exception §173.150(f) applies

Packaging Group

DOT, ADR, IMDG, IATA: Ш

Environmental hazards

Special precautions for users: EMS Number: F-E, S-E

Transport in bulk according to Annex II: of MARPOL 73/78and IB Code UN

"Model Regulation" Product contains environmentally hazardous substances -

Terpene/hydrocarbon mixture

Limited Quantity: Product can ship as Limited Quantity by road in 4 x 1 gallon package format.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazards No SARA Hazards

TSCA (Toxic Substances Control Act): Terpene - CAS# 5989-27-5

> All other chemical substances in this mixture are included on or are exempted from listing on the TSCA Inventory for Chemical

Substances

Based on available information this product does not contain Proposition 65

any components or chemicals currently known to the State of California to cause cancer, birth defects or reproductive harm

at levels which would be subject to Proposition 65

Labeling requirements

Page 6 of 7

Safety data sheet according to GHS Rev 03

Revised on / Version: 08/20/2020

Replaces revision of / Version: 04/12/2019

Valid from: 08/20/2020 **DURATHERM XLT-120**

Hazard pictograms:

Signal word



GHS label element: This product is classified and labeled according to the Globally

Harmonized System

GHS02, GHS07, GHS08, GHS09

Warning

SECTION 16: Other information

These details refer to the product as it is delivered.

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

Any abbreviations and acronyms used in this document:

AC **Article Categories** according, according to acc., acc. to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route

Art., Art. no. Article number

ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP)

Biochemical oxygen demand BOD **Chemical Abstracts Service** CAS

Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants CEC CLP

Classification, Labeling and Packaging (REGULATION (EC) No 1272/2008 on classification,

labeling and packaging of substances and mixtures)

CTFA Cosmetic, Toiletry, and Fragrance Association

for example (abbreviation of Latin 'exempli gratia'), for instance e.g.

ΕČ **European Community European Chemicals Agency ECHA** European Economic Area EEA EEC **European Economic Community**

European Inventory of Existing Commercial Chemical Substances **EINECS**

ELINCS European List of Notified Chemical Substances ΕN **European Norms**

EPA United States Environmental Protection Agency (United States of America)

ERC Environmental Release Categories

Exposure scenario ES Fax number Fax. general gen.

Globally Harmonized System of Classification and Labelling of Chemicals **GHS**

Hazardous Material Identification System **HMIS** International Agency for Research on Cancer **IARC** IATA International Air Transport Association

IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code)

IC Inhibitory concentration LC lethal concentration

lethal concentration 50 percent kill LC50

Lethal Dose, 50% kill LD50 not applicable n.a. not available n.av. not checked n.c. no data available n.d.a.

National Fire Protection Association **NFPA**

ppm parts per million

United Nations Recommendations on the Transport of Dangerous Goods **UN RTDG**

VOC Volatile organic compounds WHO World Health Organization

wwt wet weight

These statements were made by:

Page 7 of 7 Safety data sheet according to GHS Rev 03 Revised on / Version: 08/20/2020 Replaces revision of / Version: 04/12/2019

Valid from: 08/20/2020 DURATHERM XLT-120



Duratherm, P.O Box 563, Lewiston, NY, 14092, Tel.: 1-905-984-6677, info@durathermfluids.com