



## duratherm-fg-mx-en



## DURATHERM FG

Rated for use up to 327°C (620°F) it's engineered and manufactured to comply with the demands of food grade applications ranging from food processing and packaging to pharmaceutical and more.

### APPLICATION

**Duratherm FG** is rated for use up to 327°C (620°F) and is amongst the highest temperature rated food grade fluids available. It is ideal for the oxidation rich environments often found in food processing and food packaging operations.

**Duratherm FG** meets USDA requirements for incidental food contact (H1) and meets the requirements of 21CFR1783570 and is NSF registered.

### THE DIFFERENCE

Our exclusive additive package, including a proprietary dual stage anti-oxidant, ensures long trouble free operation. **Duratherm FG** also incorporates metal deactivators, a seal and gasket extender, defoaming and particle suspension agents.

### LASTS LONGER

In the heat transfer fluid industry cost is always a concern, however fluid longevity and resistance to harmful fouling are of equal importance.

Air contact is normally detrimental to a fluid. Oxidation can cripple your system and if left unchecked will ultimately cause catastrophic failure. Unscheduled downtime due to oil failure has a high cost and negative effect on production.

The **Duratherm** product line was developed with this in mind. Most other fluids fall short in their protection from oxidation and can quickly foul a system. **Duratherm FG** is engineered to give unsurpassed levels of protection and service life.

### ENVIRONMENTAL

**Duratherm FG** is environmentally friendly, non-toxic, non-hazardous and non-reportable. Worker health and safety is of great concern, **Duratherm FG** poses no ill effect to worker safety. After its long service life it can easily be disposed of with other waste oils.

### SYSTEM CLEANING

If your existing fluid has let you down and left you with a system full of sludge or carbon, we've developed a full line of heat transfer system cleaners to get your system back to like-new condition. Contact us for complete details.

[www.fluidosduratherm.mx](http://www.fluidosduratherm.mx)



## **duratherm-fg-mx-en**

Caption:

Description:

Dimensions: x